

**BANK00 A**

TYPE :: DIGITAL

TIME :: 310mS

SMEAR :: OFF

HIPASS :: OFF

RPTDYN :: OFF

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Mellow Digital

**BANK00 B**

TYPE :: DUAL

TIME :: 1480mS

TIME 2 :: 1/8

RPTS 2 :: ||| ||| ||| ||| ||| |||

MIX 2 :: TRACK

HIPASS :: OFF

CONFIG :: SERIES

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Sweet Sixteenth

**BANK01 A**

TYPE :: ICE

TIME :: 290mS

INTRVL :: +P5

SLICE :: MED

BLEND :: D ||| ||| ||| ||| ||| ||| ||| |||

SMEAR :: ||| ||| ||| ||| ||| ||| ||| |||

HIPASS :: 20Hz

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Melt Away

**BANK01 B**

TYPE :: LO-FI

TIME :: 500mS

SAMPLE :: 8 kHz

BITS :: 11 BIT

MIX :: D ||| ||| ||| ||| ||| ||| ||| ||| L

VINYL :: OFF

FILTER :: 3

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

BIT Clock

**BANK02 A**

TYPE :: FILTER

TIME :: 480mS

LFO :: SAW

SPEED :: 4/1

DEPTH :: ||| ||| ||| ||| ||| ||| ||| |||

FILT-Q :: 2.0

LOC :: POST

HIPASS :: 20Hz

TAPDIV :: QRTR

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Soft Saw

**BANK02 B**

TYPE :: REVERSE

TIME :: 490mS

SMEAR :: OFF

HIPASS :: OFF

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Reversal

**BANK03 A**

TYPE :: PATTERN

TIME :: 500mS

PATTERN :: 3

SMEAR :: OFF

HIPASS :: OFF

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Panned Eighths

**BANK03 B**

TYPE :: dTAPE

TIME :: 370mS

TP SPD :: FAST

LO END :: + ||| ||| ||| ||| ||| ||| ||| ||| -

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Wowwowwowwow

**BANK04 A**

TYPE :: dBUCKET

TIME :: 370mS

RANGE :: SINGLE

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Dirty Bucket

**BANK04 B**

TYPE :: SWELL

TIME :: 470mS

RISE :: 0.40

SMEAR :: ||| ||| ||| ||| ||| |||

HIPASS :: OFF

TAPDIV :: QRTR

BOOST :: -3.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Smear Swell

**BANK05 A**

TYPE :: TREM

TIME :: 430mS

LFO :: SQR

SPEED :: 2/1

DEPTH :: ||| ||| ||| ||| ||| |||

HIPASS :: 260Hz

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Square Cuts

**BANK05 B**

TYPE :: DUCK

TIME :: 215mS

SENS :: ||| ||| ||| ||| ||| |||

RELEAS :: 0.25

FEEDBK :: NORM

HIPASS :: 100Hz

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Dynamo

**BANK06 A**

TYPE :: ICE

TIME :: 900mS

INTRVL :: OCT.5th

SLICE :: SHORT

BLEND :: D ||| ||| ||| ||| ||| |||

SMEAR :: ||| ||| ||| ||| ||| |||

HIPASS :: 20Hz

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Fizifths

**BANK06 B**

DELAY TYME :: DIGITAL

TIME :: 390mS

SMEAR :: ||| ||| ||| ||| ||| |||

HIPASS :: 200Hz

RPTDYN :: OFF

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Saltwater Repeat

**BANK07 A**

TYPE :: FILTER

TIME :: 550mS

LFO :: RNDM

SPEED :: 4/1

DEPTH :: ||| ||| ||| ||| ||| |||

FILT-Q :: 5.0

LOC :: POST

HIPASS :: 300Hz

TAPDIV :: QRTR

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

QuarterRand

**BANK07 B**

TYPE :: LO-FI

TIME :: 2mS

SAMPLE :: 10 kHz

BITS :: 11 BIT

MIX :: D ||| ||| ||| ||| ||| ||| L

VINYL :: OFF

FILTER :: OFF

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

PitchMod

**BANK08 A**

TYPE :: dBUCKET  
 TIME :: 282mS  
 RANGE :: DOUBLE  
 TAPDIV :: QRTR  
 BOOST :: 0.0dB

VALUE push (param) hold (global)  
 TIME REPEATS MIX  
 FILTER GRIT SPEED MOD DEPTH

Dirty Slap

**BANK08 B**

TYPE :: DUAL  
 TIME :: 390mS  
 TIME 2 :: 5/3  
 RPTS 2 :: TRACK  
 MIX 2 :: ||| ||| ||| ||| ||| ||| ||| |||  
 HIPASS :: OFF  
 CONFIG :: SERIES  
 TAPDIV :: QRTR  
 BOOST :: 0.0dB

VALUE push (param) hold (global)  
 TIME REPEATS MIX  
 FILTER GRIT SPEED MOD DEPTH

Mirrors

**BANK09 A**

TYPE :: PATTERN  
 TIME :: 480mS  
 PATTERN :: 8  
 SMEAR :: OFF  
 HIPASS :: 200Hz  
 TAPDIV :: QRTR  
 BOOST :: 0.0dB

VALUE push (param) hold (global)  
 TIME REPEATS MIX  
 FILTER GRIT SPEED MOD DEPTH

Dananana

**BANK09 B**

TYPE :: ICE  
 TIME :: 300mS  
 INTRVL :: -P5  
 SLICE :: MED  
 BLEND :: D ||||| ||||| ||||| ||||| |  
 SMEAR :: ||| ||| ||| ||| ||| ||| ||| |||  
 HIPASS :: 300Hz  
 TAPDIV :: QRTR  
 BOOST :: -2.9dB

VALUE push (param) hold (global)  
 TIME REPEATS MIX  
 FILTER GRIT SPEED MOD DEPTH

Dry Ice

**BANK10 A**

TYPE :: TREM  
 TIME :: 470mS  
 LFO :: SINE  
 SPEED :: 3/1  
 DEPTH :: ||| ||| ||| ||| ||| ||| ||| |||  
 HIPASS :: 300Hz  
 TAPDIV :: QRTR  
 BOOST :: 0.0dB

VALUE push (param) hold (global)  
 TIME REPEATS MIX  
 FILTER GRIT SPEED MOD DEPTH

Trem Quarters

**BANK10 B**

TYPE :: LO-FI  
 TIME :: 250mS  
 SAMPLE :: 2 kHz  
 BITS :: 10 BIT  
 MIX :: D ||||| ||||| ||||| ||||| L  
 VINYL :: OFF  
 FILTER :: OFF  
 TAPDIV :: QRTR  
 BOOST :: 0.0dB

VALUE push (param) hold (global)  
 TIME REPEATS MIX  
 FILTER GRIT SPEED MOD DEPTH

10Bit

**BANK11 A**

TYPE :: dTAPE  
 TIME :: 185mS  
 TP SPD :: FAST  
 LO END :: + ||||| ||||| ||||| ||||| -  
 TAPDIV :: QRTR  
 BOOST :: 0.0dB

VALUE push (param) hold (global)  
 TIME REPEATS MIX  
 FILTER GRIT SPEED MOD DEPTH

Repetition

**BANK11 B**

TYPE :: dBUCKET  
 TIME :: 350mS  
 RANGE :: DOUBLE  
 TAPDIV :: QRTR  
 BOOST :: 0.0dB

VALUE push (param) hold (global)  
 TIME REPEATS MIX  
 FILTER GRIT SPEED MOD DEPTH

Bright Bucket

**BANK12 A**

TYPE :: PATTERN

TIME :: 220mS

PATTERN :: 16

SMEAR :: ||| ||| ||| ||| ||| |||

HIPASS :: 500Hz

TAPDIV :: QRTR

BOOST :: -3.0dB

Verby

**BANK12 B**

TYPE :: LO-FI

TIME :: 130mS

SAMPLE :: 48 kHz

BITS :: 10 BIT

MIX :: D ||||| ||||| ||||| ||||| L

VINYL :: OFF

FILTER :: 4

TAPDIV :: QRTR

BOOST :: 0.0dB

Say What Again

**BANK13 A**

TYPE :: SWELL

TIME :: 360mS

RISE :: 0.40

SMEAR :: ||| ||| ||| ||| ||| |||

HIPASS :: 500Hz

TAPDIV :: QRTR

BOOST :: 0.0dB

Emerging

**BANK13 B**

TYPE :: ICE

TIME :: 310mS

INTRVL :: +OCT

SLICE :: MED

BLEND :: D ||||| ||||| ||||| |||||

SMEAR :: ||| ||| ||| ||| ||| |||

HIPASS :: OFF

TAPDIV :: QRTR

BOOST :: 0.0dB

Ice Cloud

**BANK14 A**

TYPE :: DIGITAL

TIME :: 130mS

SMEAR :: ||| ||| ||| ||| ||| |||

HIPASS :: 230Hz

RPTDYN :: OFF

TAPDIV :: QRTR

BOOST :: 0.0dB

DigiSlap

**BANK14 B**

TYPE :: dTAPE

TIME :: 530mS

TP SPD :: FAST

LO END :: + ||||| ||||| ||||| ||||| -

TAPDIV :: QRTR

BOOST :: 0.0dB

Dusty Deck

**BANK15 A**

TYPE :: FILTER

TIME :: 370mS

LFO :: RNDM

SPEED :: 32/1

DEPTH :: ||| ||| ||| ||| ||| |||

FILT-Q :: 10.0

LOC :: PRE

HIPASS :: 120Hz

TAPDIV :: QRTR

Q32

**BANK15 B**

TYPE :: REVERSE

TIME :: 900mS

SMEAR :: OFF

HIPASS :: OFF

TAPDIV :: QRTR

BOOST :: -3.0dB

Turn Around

**BANK16 A**

TYPE :: PATTERN

TIME :: 500mS

PATTERN :: 3

SMEAR :: OFF

HIPASS :: OFF

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Dark Rhythm

**BANK16 B**

TYPE :: DUAL

TIME :: 380mS

TIME 2 :: 7/8

RPTS 2 :: ||| ||| ||| ||| ||| |||

MIX 2 :: ||| ||| ||| ||| ||| |||

HIPASS :: OFF

CONFIG :: SERIES

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Dual Dots

**BANK17 A**

TYPE :: LO-FI

TIME :: 350mS

SAMPLE :: 1.5 kHz

BITS :: 8 BIT

MIX :: D ||| ||| ||| ||| ||| ||| L

VINYL :: S |||

FILTER :: OFF

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

8Bit Vinyl

**BANK17 B**

TYPE :: dTAPE

TIME :: 135mS

TP SPD :: NORMAL

LO END :: + ||| ||| ||| ||| ||| ||| -

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Tape Slap

**BANK18 A**

TYPE :: TREM

TIME :: 235mS

LFO :: SAW

SPEED :: 2/1

DEPTH :: ||| ||| ||| ||| ||| |||

HIPASS :: 200Hz

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

2 to 1

**BANK18 B**

TYPE :: ICE

TIME :: 470mS

INTRVL :: +OCT

SLICE :: LONG

BLEND :: D ||| ||| ||| ||| ||| |||

SMEAR :: ||| ||| ||| ||| ||| |||

HIPASS :: 600Hz

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Long Slice

**BANK19 A**

TYPE :: SWELL

TIME :: 235mS

RISE :: 0.10

SMEAR :: ||| ||| ||| ||| ||| |||

HIPASS :: 700Hz

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Vibro Swell

**BANK19 B**

TYPE :: DIGITAL

TIME :: 480mS

SMEAR :: ||| ||| ||| ||| ||| |||

HIPASS :: 20Hz

RPTDYN :: OFF

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Smear Dig

**BANK20 A**

TYPE :: REVERSE

TIME :: 380mS

SMEAR :: 

HIPASS :: OFF

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Debris

**BANK20 B**

TYPE :: PATTERN

TIME :: 460mS

PATTERN :: 14

SMEAR :: OFF

HIPASS :: 200Hz

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Dot Rhythm

**BANK21 A**

TYPE :: DUAL

TIME :: 820mS

TIME 2 :: 1/8

RPTS 2 :: TRACK

MIX 2 :: TRACK

HIPASS :: 230Hz

CONFIG :: SERIES

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

World Series

**BANK21 B**

TYPE :: FILTER

TIME :: 570mS

LFO :: RAMP

SPEED :: 4/1

DEPTH :: 

FILT-Q :: 2.0

LOC :: POST

HIPASS :: 20Hz

TAPDIV :: QRTR

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Gouda

**BANK22 A**

TYPE :: LO-FI

TIME :: 14mS

SAMPLE :: 96 kHz

BITS :: 32 BIT

MIX :: D  L

VINYL :: OFF

FILTER :: OFF

TAPDIV :: QRTR

BOOST :: -3.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

ModMode

**BANK22 B**

TYPE :: ICE

TIME :: 210mS

INTRVL :: +2 OCT

SLICE :: LONG

BLEND :: D  I

SMEAR :: 

HIPASS :: 20Hz

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Ice Organ

**BANK23 A**

TYPE :: dBUCKET

TIME :: 400mS

RANGE :: SINGLE

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Whipped

**BANK23 B**

TYPE :: DUCK

TIME :: 425mS

SENS :: 

RELEAS :: 0.01

FEEDBK :: GATE

HIPASS :: OFF

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Hold and Repeat

**BANK24 A**

VALUE push (param) hold (global) TIME REPEATS MIX

TYPE :: TREM

TIME :: 160mS

LFO :: SINE

SPEED :: 1/1

DEPTH :: ||| ||| ||| ||| ||| |||

HIPASS :: 200Hz

TAPDIV :: QRTR

BOOST :: 0.0dB

FILTER GRIT SPEED MOD DEPTH

Trem Slap

**BANK24 B**

VALUE push (param) hold (global) TIME REPEATS MIX

TYPE :: DUAL

TIME :: 250mS

TIME 2 :: 3/2

RPTS 2 :: ||| ||| ||| ||| ||| |||

MIX 2 :: ||| ||| ||| ||| ||| |||

HIPASS :: OFF

CONFIG :: PARA

TAPDIV :: QRTR

BOOST :: 0.0dB

FILTER GRIT SPEED MOD DEPTH

ParaPan

**BANK25 A**

VALUE push (param) hold (global) TIME REPEATS MIX

TYPE :: dTAPE

TIME :: 1000mS

TP SPD :: NORMAL

LO END :: + ||| ||| ||| ||| ||| ||| ||| ||| ||| ||| -

TAPDIV :: QRTR

BOOST :: 0.0dB

FILTER GRIT SPEED MOD DEPTH

Degraded

**BANK25 B**

VALUE push (param) hold (global) TIME REPEATS MIX

TYPE :: LO-FI

TIME :: 500mS

SAMPLE :: 6 kHz

BITS :: 10 BIT

MIX :: D ||| ||| ||| ||| ||| ||| ||| L

VINYL :: OFF

FILTER :: 8

TAPDIV :: QRTR

BOOST :: 0.0dB

FILTER GRIT SPEED MOD DEPTH

Intercom

**BANK26 A**

VALUE push (param) hold (global) TIME REPEATS MIX

TYPE :: SWELL

TIME :: 470mS

RISE :: 0.50

SMEAR :: ||| ||| ||| ||| ||| |||

HIPASS :: 350Hz

TAPDIV :: QRTR

BOOST :: -2.9dB

FILTER GRIT SPEED MOD DEPTH

Infinite Swell

**BANK26 B**

VALUE push (param) hold (global) TIME REPEATS MIX

TYPE :: ICE

TIME :: 480mS

INTRVL :: +25 CEN

SLICE :: SHORT

BLEND :: D ||| ||| ||| ||| ||| ||| ||| |

SMEAR :: ||| ||| ||| ||| ||| |||

HIPASS :: 600Hz

TAPDIV :: QRTR

BOOST :: 0.0dB

FILTER GRIT SPEED MOD DEPTH

Hi Ice

**BANK27 A**

VALUE push (param) hold (global) TIME REPEATS MIX

TYPE :: FILTER

TIME :: 230mS

LFO :: +SQR

SPEED :: 1/2

DEPTH :: ||| ||| ||| ||| ||| |||

FILT-Q :: 0.7

LOC :: POST

HIPASS :: 200Hz

TAPDIV :: QRTR

FILTER GRIT SPEED MOD DEPTH

Wobble

**BANK27 B**

VALUE push (param) hold (global) TIME REPEATS MIX

TYPE :: dBUCKET

TIME :: 490mS

RANGE :: DOUBLE

TAPDIV :: QRTR

BOOST :: 0.0dB

FILTER GRIT SPEED MOD DEPTH

Low Voltage



**BANK32 A**

TYPE :: dBUCKET  
 TIME :: 330mS  
 RANGE :: DOUBLE  
 TAPDIV :: QRTR  
 BOOST :: 0.0dB

VALUE (push/hold) TIME REPEATS MIX  
 FILTER GRIT SPEED MOD DEPTH

Dark Analog

**BANK32 B**

TYPE :: LO-FI  
 TIME :: 2mS  
 SAMPLE :: 12 kHz  
 BITS :: 8 BIT  
 MIX :: D ||||| ||||| ||||| ||||| L  
 VINYL :: OFF  
 FILTER :: 1  
 TAPDIV :: QRTR  
 BOOST :: 3.0dB

VALUE (push/hold) TIME REPEATS MIX  
 FILTER GRIT SPEED MOD DEPTH

Champy

**BANK33 A**

TYPE :: TREM  
 TIME :: 300mS  
 LFO :: SQR  
 SPEED :: 2/1  
 DEPTH :: ||| ||| ||| ||| ||| |||  
 HIPASS :: 300Hz  
 TAPDIV :: QRTR  
 BOOST :: 0.0dB

VALUE (push/hold) TIME REPEATS MIX  
 FILTER GRIT SPEED MOD DEPTH

Vintage Square

**BANK33 B**

TYPE :: FILTER  
 TIME :: 150mS  
 LFO :: +SINE  
 SPEED :: 1/32  
 DEPTH :: ||| ||| ||| ||| ||| |||  
 FILT-Q :: 2.0  
 LOC :: POST  
 HIPASS :: OFF  
 TAPDIV :: QRTR

VALUE (push/hold) TIME REPEATS MIX  
 FILTER GRIT SPEED MOD DEPTH

Sweeper

**BANK34 A**

TYPE :: PATTERN  
 TIME :: 390mS  
 PATTERN :: 11  
 SMEAR :: OFF  
 HIPASS :: OFF  
 TAPDIV :: QRTR  
 BOOST :: 0.0dB

VALUE (push/hold) TIME REPEATS MIX  
 FILTER GRIT SPEED MOD DEPTH

Berliner

**BANK34 B**

TYPE :: SWELL  
 TIME :: 330mS  
 RISE :: 4.00  
 SMEAR :: OFF  
 HIPASS :: 500Hz  
 TAPDIV :: QRTR  
 BOOST :: 0.0dB

VALUE (push/hold) TIME REPEATS MIX  
 FILTER GRIT SPEED MOD DEPTH

Swellback

**BANK35 A**

TYPE :: dTAPE  
 TIME :: 340mS  
 TP SPD :: NORMAL  
 LO END :: + ||||| ||||| ||||| ||||| -  
 TAPDIV :: QRTR  
 BOOST :: 0.0dB

VALUE (push/hold) TIME REPEATS MIX  
 FILTER GRIT SPEED MOD DEPTH

Under Bias

**BANK35 B**

TYPE :: DUAL  
 TIME :: 350mS  
 TIME 2 :: 1/4  
 RPTS 2 :: ||| ||| ||| ||| ||| |||  
 MIX 2 :: ||| ||| ||| ||| ||| |||  
 HIPASS :: OFF  
 CONFIG :: SERIES  
 TAPDIV :: QRTR  
 BOOST :: 0.0dB

VALUE (push/hold) TIME REPEATS MIX  
 FILTER GRIT SPEED MOD DEPTH

Zombie

**BANK36 A**

TYPE :: DIGITAL

TIME :: 570mS

SMEAR :: OFF

HIPASS :: 900Hz

RPTDYN :: OFF

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Kiss My Grits

**BANK36 B**

TYPE :: ICE

TIME :: 155mS

INTRVL :: +m7

SLICE :: LONG

BLEND :: D ||||| ||||| ||||| ||||| |

SMEAR :: ||| ||| ||| ||| ||| |||

HIPASS :: 20Hz

TAPDIV :: QRTR

BOOST :: -2.9dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Minor 7th

**BANK37 A**

TYPE :: LO-FI

TIME :: 100mS

SAMPLE :: 10 kHz

BITS :: 11 BIT

MIX :: D ||||| ||||| ||| ||||| L

VINYL :: OFF

FILTER :: 2

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Dirigible

**BANK37 B**

TYPE :: REVERSE

TIME :: 480mS

SMEAR :: ||| ||| ||| ||| ||| |||

HIPASS :: OFF

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Inward

**BANK38 A**

TYPE :: TREM

TIME :: 165mS

LFO :: RAMP

SPEED :: 1/4

DEPTH :: ||| ||| ||| ||| ||| |||

HIPASS :: 300Hz

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Steep Ramp

**BANK38 B**

TYPE :: DUCK

TIME :: 220mS

SENS :: ||| ||| ||| ||| ||| |||

RELEAS :: 0.01

FEEDBK :: GATE

HIPASS :: 20Hz

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Ducky

**BANK39 A**

TYPE :: ICE

TIME :: 205mS

INTRVL :: +M2

SLICE :: MED

BLEND :: D ||||| ||||| ||||| ||||| |

SMEAR :: ||| ||| ||| ||| ||| |||

HIPASS :: 20Hz

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Ice Wonder

**BANK39 B**

TYPE :: PATTERN

TIME :: 505mS

PATTERN :: 6

SMEAR :: OFF

HIPASS :: OFF

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

the6th

**BANK40 A**

TYPE :: dBUCKET

TIME :: 250mS

RANGE :: DOUBLE

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

High Voltage

**BANK40 B**

TYPE :: DUAL

TIME :: 60mS

TIME 2 :: 1/8

RPTS 2 :: ||| ||| ||| ||| ||| |||

MIX 2 :: ||| ||| ||| ||| ||| |||

HIPASS :: OFF

CONFIG :: SERIES

TAPDIV :: QRTR

BOOST :: 2.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

DualMod

**BANK41 A**

TYPE :: DIGITAL

TIME :: 250mS

SMEAR :: OFF

HIPASS :: 900Hz

RPTDYN :: ON

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

High Pass

**BANK41 B**

TYPE :: dTAPE

TIME :: 620mS

TP SPD :: NORMAL

LO END :: + ||||| ||||| ||||| ||||| -

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Crinkly

**BANK42 A**

TYPE :: FILTER

TIME :: 280mS

LFO :: SAW

SPEED :: 2/1

DEPTH :: ||| ||| ||| ||| ||| |||

FILT-Q :: 5.0

LOC :: POST

HIPASS :: 300Hz

TAPDIV :: QRTR

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

PrettyPrettyGood

**BANK42 B**

TYPE :: LO-FI

TIME :: 400mS

SAMPLE :: 750 Hz

BITS :: 32 BIT

MIX :: D ||||| ||||| ||||| ||||| L

VINYL :: S ||| |

FILTER :: OFF

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Decimated

**BANK43 A**

TYPE :: DUCK

TIME :: 340mS

SENS :: ||| ||| ||| ||| ||| |||

RELEAS :: 0.45

FEEDBK :: NORM

HIPASS :: 100Hz

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Disappear

**BANK43 B**

TYPE :: TREM

TIME :: 1120mS

LFO :: TRI

SPEED :: 6/1

DEPTH :: ||| ||| ||| ||| ||| |||

HIPASS :: 180Hz

TAPDIV :: QRTR

BOOST :: 0.0dB

VALUE push (param) hold (global)

TIME REPEATS MIX

FILTER GRIT SPEED MOD DEPTH

Mountain Dougie

**BANK44 A**

TYPE :: ICE  
 TIME :: 660mS  
 INTRVL :: -OCT  
 SLICE :: SHORT  
 BLEND :: D ||||| ||||| ||||| ||||| |||||  
 SMEAR :: OFF  
 HIPASS :: 20Hz  
 TAPDIV :: QRTR  
 BOOST :: -2.9dB

VALUE push (param) hold (global)  
 TIME REPEATS MIX  
 FILTER GRIT SPEED MOD DEPTH

Downer

**BANK44 B**

TYPE :: SWELL  
 TIME :: 780mS  
 RISE :: 0.90  
 SMEAR :: ||||| ||||| ||||| ||||| |||||  
 HIPASS :: 700Hz  
 TAPDIV :: QRTR  
 BOOST :: 0.0dB

VALUE push (param) hold (global)  
 TIME REPEATS MIX  
 FILTER GRIT SPEED MOD DEPTH

Gently

**BANK45 A**

TYPE :: dBUCKET  
 TIME :: 85mS  
 RANGE :: SINGLE  
 TAPDIV :: QRTR  
 BOOST :: 0.0dB

VALUE push (param) hold (global)  
 TIME REPEATS MIX  
 FILTER GRIT SPEED MOD DEPTH

Gritty Slap

**BANK45 B**

TYPE :: dTAPE  
 TIME :: 400mS  
 TP SPD :: FAST  
 LO END :: + ||||| ||||| ||||| ||||| ||||| -  
 TAPDIV :: QRTR  
 BOOST :: 0.0dB

VALUE push (param) hold (global)  
 TIME REPEATS MIX  
 FILTER GRIT SPEED MOD DEPTH

EEplex

**BANK46 A**

TYPE :: DUAL  
 TIME :: 500mS  
 TIME 2 :: 2/5  
 RPTS 2 :: TRACK  
 MIX 2 :: ||||| ||||| ||||| ||||| |||||  
 HIPASS :: 140Hz  
 CONFIG :: SERIES  
 TAPDIV :: QRTR  
 BOOST :: 0.0dB

VALUE push (param) hold (global)  
 TIME REPEATS MIX  
 FILTER GRIT SPEED MOD DEPTH

Spazzy

**BANK46 B**

TYPE :: ICE  
 TIME :: 500mS  
 INTRVL :: +P5  
 SLICE :: MED  
 BLEND :: D ||||| ||||| ||||| ||||| |||||  
 SMEAR :: ||||| ||||| ||||| ||||| |||||  
 HIPASS :: 20Hz  
 TAPDIV :: QRTR  
 BOOST :: 0.0dB

VALUE push (param) hold (global)  
 TIME REPEATS MIX  
 FILTER GRIT SPEED MOD DEPTH

Marigold

**BANK47 B**

TYPE :: DIGITAL  
 TIME :: 85mS  
 SMEAR :: OFF  
 HIPASS :: 20Hz  
 RPTDYN :: OFF  
 TAPDIV :: QRTR  
 BOOST :: 0.0dB

VALUE push (param) hold (global)  
 TIME REPEATS MIX  
 FILTER GRIT SPEED MOD DEPTH

DynaFilt

**BANK47 A**

TYPE :: FILTER  
 TIME :: 360mS  
 LFO :: UP  
 SPEED :: 2/3  
 DEPTH :: ||||| ||||| ||||| ||||| |||||  
 FILT-Q :: 7.0  
 LOC :: PRE  
 HIPASS :: 20Hz  
 TAPDIV :: QRTR

VALUE push (param) hold (global)  
 TIME REPEATS MIX  
 FILTER GRIT SPEED MOD DEPTH

EchoChamber

